# KEVLAR® Para-aramid

Version 8.0

 Issue Date
 :
 12/16/2021

 Revision Date
 :
 12/15/2021

Ref. 15000002634

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Tradename/Synonym	:	KEVLAR® Para-aramid formerly MSDS# SP1889
Product Grade/Type	:	Yarn, Staple, Floc, Fabric
Product Use	:	Fiber manufacturing, For industrial use only.
Restrictions on use Manufacturer/Supplier	:	Do not use product for anything outside of the above specified uses. DuPont 974 Centre Road Wilmington, Delaware 19805
Product Information Medical Emergency Transport Emergency	:	1-800-931-3456 1-800-441-3637 (outside the U.S. 1-302-774-1139) +1-800-424-9300 (outside the U.S. & Canada +1-703-527-3887)

#### SECTION 2. HAZARDS IDENTIFICATION

Product hazard category Combustible dust	
Label content Pictogram	: not required
Signal word	: Warning
Hazardous warnings	: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.
Hazardous prevention measures	: not required
	1 / 10

# **OUPONT**

### KEVLAR® Para-aramid

Version 8.0

Issue Date	:	12/16/2021
Revision Date	:	12/15/2021

Ref. 15000002634

#### Other hazards

The hazards of this product are associated mainly with its processing. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Para-aramid fiber	26125-61-1	>85%

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Exposure limits may be applicable for the following :

Dust (inhalable and respiral	ole fraction)
------------------------------	---------------

#### **SECTION 4. FIRST AID MEASURES**

General advice	: No hazards which require special first aid measures. If symptoms persist, call a physician. If irritation occurs, flush area thoroughly with water.
Inhalation	: No applicable data available.
Skin contact	: No applicable data available.
Eye contact	: No applicable data available.
Ingestion	: No applicable data available.
Most important symptoms/effects, acute and delayed	: No applicable data available.
Protection of first-aiders Notes to physician	<ul><li>No applicable data available.</li><li>No applicable data available.</li></ul>

# SECTION 5. FIREFIGHTING MEASURES

2/10

# OUPONT.

## KEVLAR® Para-aramid

Version 8.0

	2/16/2021 2/15/2021	Ref. 15000002634
Unsuitable extinguishing media	: No applicable data a	vailable.
Specific hazards	: Hazardous decompo	sition products formed under fire conditions.
Special protective equipment for firefighters	: Wear self-contained	breathing apparatus for firefighting if necessary.
Further information	: No applicable data a	vailable.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel)	None.	
Environmental precautions	Do not let product enter drains.	
Spill Cleanup	Avoid dust formation. Clean up dusts and fibres with high efficier particulate air (HEPA) filtered vacuum equipment, or by wet clea	
Accidental Release Measures	lo applicable data available.	

#### SECTION 7. HANDLING AND STORAGE

Handling (Personnel)	'ersonnel) :	Avoid dust formation. Exposure to fibre fly, dust and decomposition products of spinfinishes should be avoided by ventilation and/or vacuum cleaning. High concentrations of dust can irritate eyes, nose and respiratory system and cause coughing and sneezing. Continual rubbing of fibre particulates and dust on the skin can cause a transitory, mild irritation with redness or itching. Do not touch moving threadlines. Entanglement with this fibre can severely cut or even sever fingers. Avoid breathing dust.
Handling (Physical Aspects) Dust explosion class Storage	:	No applicable data available. No applicable data available. Keep away from direct sunlight.
		3/10

# < DUPONT >

### KEVLAR® Para-aramid

Version 8.0

Issue Date Revision Date	:	12/16/2021 12/15/2021	Ref. 150000002634
Storage period		: No applicable	e data available.
Storage temperature		: No applicable	e data available.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls	Ensure adequate ventilation. Recirculated air should be filtered to re espirable dust. Provide for appropriate exhaust ventilation and dust it machinery. Static charges can cause explosions in solvent and d ttmospheres. Provide grounding of equipment to prevent static buil	t collection ust laden
Personal protective equipment Respiratory protection	Vhen workers are facing concentrations above the exposure limit the second respirators.	ney must
Eye protection	Safety glasses with side-shields	

Exposure Guidelines

Exposure Limit Values

Para-aramid			
AEL *	(DuPont)	2 RFP/cc	8 & 12 hr. TWA
			Respirable fibers.
AEL *	(DuPont)	5 mg/m3	8 & 12 hr. TWA
		-	Non-fibrous particulate and/or non-
			respirable fibres.

Dust (inhalable and respirable fraction)			
PEL (Permissible	(OSHA)	50 Million particles per	TWA
Exposure Limit)		cubic foot	total dust
PEL (Permissible	(OSHA)	15 mg/m3	TWA
Exposure Limit)			total dust
PEL (Permissible	(OSHA)	5 mg/m3	TWA
Exposure Limit)			respirable fraction
PEL (Permissible	(OSHA)	15 Million particles per	TWA
Exposure Limit)		cubic foot	respirable fraction
TLV	(ACGIH)	3 mg/m3	TWA
			Respirable particulate matter
TLV	(ACGIH)	10 mg/m3	TWA
			Inhalable particulate matter

\* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are

### Safety Data Sheet

# OUPONT >

### KEVLAR® Para-aramid

Version 8.0

Issue Date: 1Revision Date: 1

: 12/16/2021 : 12/15/2021 Ref. 15000002634

lower than the AEL are in effect, such limits shall take precedence.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical state Form Color	<ul> <li>solid</li> <li>Nonwoven fabric, woven fabric, fibres, yarn</li> <li>various</li> </ul>
Odor	: odourless
Odor threshold	: No applicable data available.
рН	: No applicable data available.
Melting point/freezing point	: Melting point/range Not applicable
Boiling point/boiling range	: Boiling point/boiling range Not applicable
Flash point	: Not applicable
Evaporation rate	: No applicable data available.
Flammability (solid, gas)	: May form combustible dust concentrations in air during processing, handling or other means.
Upper explosion limit	: No applicable data available.
Lower explosion limit	: No applicable data available.
Vapour Pressure	: No applicable data available.
Vapour density	: No applicable data available.
Specific gravity (Relative density)	: 1.44 - 1.45 at 20 °C (68 °F)
Water solubility	: insoluble
Solubility(ies)	: No applicable data available.
Partition coefficient: n-	: No applicable data available.
	5 / 10

# **OUPONT**

## KEVLAR® Para-aramid

Version 8.0

Issue Date : Revision Date :	12/16/2021 12/15/2021	Ref. 15000002634		
octanol/water				
Auto-ignition temperature	: No applicable data	available.		
Ignition temperature	: does not ignite			
Decomposition temperature	: > 300 °C			
Viscosity, kinematic	: No applicable data	: No applicable data available.		
Viscosity, dynamic	: No applicable data available.			
SECTION 10. STABILITY AND F	REACTIVITY			
Reactivity Chemical stability Possibility of hazardous reactions Conditions to avoid Incompatible materials Hazardous decomposition products	<ul> <li>No applicable data available.</li> <li>No applicable data available.</li> <li>No applicable data available.</li> <li>No applicable data available.</li> <li>Strong acids and strong bases</li> <li>Hazardous thermal decomposition products:: Carbon dioxide Nitrogen oxides (NOx), Hydrogen cyanide (gaseous), Ammonia, anhydrous Aldehydes, Hydrocarbons</li> </ul>			
SECTION 11. TOXICOLOGICAL	INFORMATION			
KEVLAR <sup>®</sup> Para-aramid Sensitisation	: Patch test or properties.	human volunteers did not demonstrate sensitisation		
Para-aramid fiber Inhalation		alation/4h/rat could not be determined because no ats was observed at the maximum achievable n.		
Dermal	: The substan effects.	ce is a polymer and is not expected to produce toxic		
Oral LD50	: > 7,500 mg/k	g , Rat		
		6 / 10		



### KEVLAR® Para-aramid

Version 8.0

Issue Date Revision Date	: 12/16/2 : 12/15/2		Ref. 15000002634
Skin irritation		:	No skin irritation, Guinea pig
Repeated dose t	oxicity	:	Inhalation Rat
			Respiratory irritation
Carcinogenicity		:	Not classifiable as a human carcinogen. Overall weight of evidence indicates that the substance is not carcinogenic.
Mutagenicity		:	Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Evidence suggests this substance does not cause genetic damage in animals.
<ul> <li>Carcinogenicity</li> <li>The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).</li> <li>None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.</li> </ul>			
SECTION 12. ECOLOGICAL INFORMATION         Additional ecological information       : No data is available on the product itself.			
SECTION 13. DISPOSAL CO	NSIDERAT		S
Waste disposal methods · Product			e landfilled or incinerated, when in compliance with local regulations. flush into surface water or sanitary sewer system.
Contaminated packaging : No applicable data available.			
SECTION 14. TRANSPORT INFORMATION			
7 / 10			

### Safety Data Sheet

# OUPONT>

#### KEVLAR® Para-aramid

Version 8.0

Issue Date Revision Date 12/16/2021 12/15/2021 Ref. 15000002634

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION				
TSCA Status	: On the inventory, or in compliance with the inventory			
SARA 311/312 Hazard classification	: Combustible dust			
SARA 313 Regulated Chemical(s)	<ul> <li>This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.</li> </ul>			
California Prop. 65	: This product does not contain any substances requiring a warning under the Safe Drinking Water and Toxic Enforcement Act.			

#### **SECTION 16. OTHER INFORMATION**

Restrictions for use : Do not use DuPont materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless the material has been provided from DuPont under a written contract that is consistent with DuPont policy regarding medical applications and expressly acknowledges the contemplated use. For further information, please contact your DuPont representative. You may also request a copy of the DuPont POLICY Regarding Medical Applications and DuPont CAUTION Regarding Medical Applications.

It is recommended that additional information be requested if an unusual application of synthetic fibres is intended. The DuPont Oval Logo is a registered trademark of E.I. du Pont de Nemours and Company. DuPont<sup>™</sup> is a trademark of DuPont de Nemours, Inc. Kevlar<sup>®</sup> is a registered trademark of DuPont.

Issue Date	:	12/16/2021
Revision Date	:	12/15/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,



#### KEVLAR® Para-aramid

Version 8.0

Issue Date Revision Date

12/16/2021 : 12/15/2021

:

Ref. 15000002634

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# **CUPONT** KEVLAR<sup>®</sup> Para-aramid

Components: Para-aramid fiber, CAS No. 26125-61-1; Dust (inhalable and respirable fraction)

# Warning

**Hazard statements:** If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

**Supplemental information:** The hazards of this product are associated mainly with its processing. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

Refer to Safety Data Sheet (SDS) for further information.

DuPont 974 Centre Road Wilmington, Delaware 19805 Product Information: 1-800-931-3456 Medical Emergency: 1-800-441-3637 (outside the U.S. 1-302-774-1139) Transport Emergency: CHEMTREC: +1-800-424-9300 (outside the U.S. & Canada +1-703-527-3887)

Version 8.0 Revision Date 12/15/2021 Issue Date 12/16/2021 Ref. 150000002634

The DuPont Oval Logo is a registered trademark of E.I. du Pont de Nemours and Company. DuPont<sup>™</sup> is a trademark of DuPont de Nemours, Inc. Kevlar<sup>®</sup> is a registered trademark of DuPont.